R&S®ESSENTIALS SPECIAL

TODAY'S SOLUTION FOR TOMORROW'S CHALLENGE

Save up to 49% on the most popular T&M instrument configurations



www.rohde-schwarz.com/complete-promotion



Order before September 30, 2023



ROHDE&SCHWARZ

Make ideas real

PROMOTIONAL OFFER AT A GLANCE

Save up to 49% on the most popular configurations of T&M instrument configurations from Rohde&Schwarz. This promotional offer includes all essential instruments found on an engineer's workbench: oscilloscopes, DC power supplies, spectrum and antenna analyzers, signal generators, LCR meters and source measure units (SMU).

Rohde&Schwarz has carefully chosen the optimal configurations so that our customers will not need to invest in future upgrades to meet tomorrow's test and measurement challenges. We offer:

- Options included upfront at point of purchase
- ► No configuration necessary we take care of it
- Single price for each instrument, no upgrades needed
- Maximum bench performance and maximum savings

Offer valid until September 30, 2023

Oscilloscopes up to 49% off

- ► Up to 1.5 GHz bandwidth
- ► Up to 4.5 million waveforms/s real-time update rate
- ► Up to 5 Gsample/s sample rate
- 400 Mpoints per channel standard memory
- ► 12-bit ADC at all sample rates

DC power supplies up to 19% off

- ► Up to 4 channels
- Up to 800 W maximum output power
- ► Electrically equivalent channels
- ► Max. voltage: 4 × 64 V/channel
- Max. current: 4 × 10 A/channel or 40 A in total

Spectrum analyzers up to 27 % off

- Frequency range: 5 kHz to 7.5 GHz
- ► DANL: typ. –163 dBm
- Phase noise:
 typ. –108 dBc (1 Hz)
- Intuitive operation
- ► Small test bench footprint







Source measure unit 13 % off

- Two quadrants: operate as source and sink
- ► High-speed data acquisition
- Voltage priority and current priority mode
- ► High-capacitance mode
- ► Fast load regulation
- ► Battery simulation

Vector signal generator 13% off

- Frequency range: 8 kHz to 3 GHz
- Max. output level of typ. > +25 dBm
- Full software option defined vector signal generator with 5" touchscreen
- Modulation bandwidth up to 240 MHz

LCR meter 10% off

- Max. test frequency: up to 10 MHz
- ► Max. bias voltage: up to 40 V
- Sweep and binning measurement functions
- Basic accuracy of $\pm 0.05\%$







UP TO 49% SAVINGS ON THE MOST POPULAR CONFIGURATIONS

Oscilloscopes

Model	Bandwidth, channels	Product bundle description	List price	Discount
R&S®RTC-BNDL	300 MHz, 2 analog channels	&S®RTC1002: ARB generator, I ² C/SPI trigger and decode, UART/RS-232 trigger and decode, EUR AN/LIN trigger and decode		33%
R&S®RTB-BNDL	300 MHz, 4 analog channels	R&S®RTB2004: ARB generator, I ² C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, history and segment memory, frequency response analysis (Bode plot)	EUR 6,400 EUR 4,190	35%
R&S®RTM-BNDL ¹⁾	500 MHz, 4 analog channels	R&S®RTM3004: ARB generator, I ² C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, I ² S trigger and decode, MIL-STD-1553 trigger and decode, ARINC 429 trigger and decode, history and segmented memory, power analysis, frequency response analysis (Bode plot), spectrum analysis and spectrogram	EUR 15,940 EUR 9,490	40%
R&S®RTA-BNDL	1 GHz, 4 analog channels	R&S®RTA4004: ARB generator, I ² C/SPI trigger and decode, UART/RS-232 trigger and decode, CAN/LIN trigger and decode, I ² S trigger and decode, MIL-STD-1553 trigger and decode, ARINC 429 trigger and decode, history and segmented memory, power analysis, frequency response analysis (Bode plot), spectrum analysis and spectrogram	EUR 24,350 EUR 12,490	49%
R&S®MXO4-BNDL	1.5 GHz, 4 analog channels	R&S®MXO 44: ARB generator, low speed serial buses, automotive protocols, frequency response analysis (Bode plot)	EUR 30,200 EUR 19,900	34%

¹⁾ Promotion bundle will not support keycode bandwidth upgrade to 1 GHz. The Rohde&Schwarz Service Center will handle the upgrade

DC power supplies

Model	Output channels	Maximum output power	Product bundle description	List price	Discount
R&S®NGE-COM3b	3	100 W	R&S®NGE103B: Ethernet remote control, digital trigger I/O	EUR 1,455 EUR 1,180	19%
R&S®NGM-COM2b	2	120 W	$R\&S^{\otimes}NGM202$: digital trigger I/O, digital voltmeter functionality, battery simulation	EUR 7,400 EUR 6,650	10%
R&S®NGP824-COMb	4	800 W	R&S®NGP824: 64 V/10 A, digital trigger I/O, analog input	EUR 5,695 EUR 5,100	10%

Spectrum analyzers

Model	Frequency range	Product bundle description	List price	Discount
R&S®FPL-EMI3	5 kHz to 3 GHz	R&S®FPL1003: additional interfaces, internal generator, RF preamplifier, EMI measurement application	EUR 18,240 EUR 13,680	25%
R&S®FPL-EMI7	5 kHz to 7.5 GHz	$R\&S^{\otimes}FPL1007:$ additional interfaces, internal generator, RF preamplifier, EMI measurement application	EUR 23,040 EUR 16,819	27%
R&S®FPC-COM2	5 kHz to 3 GHz	$R\&S^{\otimes}FPC1500$: preamplifier, modulation analysis, vector network analysis, receiver mode, advanced measurements	EUR 7,810 EUR 6,248	20%
R&S®FPC-EMI1	5 kHz to 1 GHz	R&S®FPC1000: preamplifier, receiver mode	EUR 2,560 EUR 2,300	10%

Handheld analyzers

Model	Frequency range	Product bundle description	List price	Discount
R&S®FPH-INH4	5 kHz to 4 GHz	R&S®FPH handheld spectrum analyzer: preamplifier, interference analysis, maps	EUR 9,270 EUR 8,528	8%
R&S®FPH-INH8	5 kHz to 8 GHz	R&S®FPH handheld spectrum analyzer: preamplifier, interference analysis, maps	EUR 12,470 EUR 11,472	8%
R&S®ZPH-ANR4	2 MHz to 4 GHz	$R\&S^{\otimes}ZPH$ cable and antenna analyzer model .02: one port N(f), 2 MHz to 4 GHz, GPS support	EUR 5,280 EUR 4,488	15%
R&S®ZPH-FOX4	2 MHz to 4 GHz	$R\&S^{\otimes}ZPH$ cable and antenna analyzer model .12: two port N(f), 2 MHz to 4 GHz	EUR 10,200 EUR 9,384	8%

Source measure unit

Model	Output channel	Product bundle description	List price	Discount
R&S®NGU201COM	1	R&S®NGU201: two-quadrant source measure unit, digital trigger I/O, digital voltmeter function, battery simulation	EUR 9,105 EUR 7,900	13%

Vector signal generator

Model	Frequency range	Product bundle description	List price	Discount
R&S [®] SMCV100BP2	4 kHz to 3 GHz	$R\&S^{\otimes}SMCV100B:AM/FM/\phi M$ (via baseband), pulse modulation, custom digital modulation	EUR 13,545 EUR 11,800	13%

Power meter

Model	Product bundle description	List price	Discount
R&S®NRX-COM4	R&S®NRX: second measurement channel, third and fourth R&S®NRP sensor connector, sensor check source	EUR 11,785 EUR 10,600	10%

LCR meter

Model	Maximum frequency	Basic accuracy	Product bundle description	List price	Discount
R&S®LCX200COM	10 MHz	±0.05% for impedance measurements; ±0.03° for phase measurements	R&S®LCX200: advanced analysis option, binning option, extended bias option	EUR 16,755 EUR 15,000	10%

Service at Rohde & Schwarz You're in great hands

- ► Worldwide
- Local and personalized
- Customized and flexible
- Uncompromising quality
- Long-term dependability

Rohde & Schwarz

The Rohde&Schwarz technology group is among the trailblazers when it comes to paving the way for a safer and connected world with its leading solutions in test&measurement, technology systems and networks&cybersecurity. Founded more than 85 years ago, the group is a reliable partner for industry and government customers around the globe. The independent company is headquartered in Munich, Germany and has an extensive sales and service network with locations in more than 70 countries.

www.rohde-schwarz.com

Sustainable product design

- Environmental compatibility and eco-footprint
- Energy efficiency and low emissions
- Longevity and optimized total cost of ownership



Certified Environmental Management


Rohde & Schwarz training www.training.rohde-schwarz.com

Rohde & Schwarz customer support

www.rohde-schwarz.com/support



608.3410.32 10.01 PDP/PDW 1 en





www.alldataee.com

R&S° is a registered trademark of Rohde&Schwarz GmbH&Co. KG Trade names are trademarks of the owners PD 3608.3410.32 | Version 10.01 | April 2023 (sk) Today's solution for tomorrow's challenge Data without tolerance limits is not binding | Subject to change

© 2019 - 2023 Rohde&Schwarz GmbH&Co. KG | 81671 Munich, Germany